





Color: ■ black



Mounting accessories WINSTA® MIDI

When using the mounting accessories from the WINSTA® MIDI product line, straightforward electrical installation is guaranteed. With WAGO, you benefit from a large selection of accessories for the WINSTA® product line. The WINSTA® MIDI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology facilitates exemplary electrification. Due to the included test slot, it is possible to check connections even when they are plugged in. This saves time, labor, and money.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Now you can also reduce installation costs without compromising quality and safety: The WINSTA® MIDI accessory with protection against mismatching reduces the need for servicing and prevents unnecessary downtime.

- simple circuits
- fast, secure installation



Mechanical data		
Suitable		for flying leads; 2- to 5-pole

Material data		
Note (material data)		Information on material specifications can be found here
Color		black
Insulation material		Polyamide (PA66)
Flammability class per UL94		V0
Fire load		0.239 MJ
Weight		8 g

Environmental requirements		
Processing temperature		-5 ... +40 °C
Continuous operating temperature		-35 ... +85 °C
Note on continuous operating temperature		Insulating parts for temperatures ≤ 105 °C

Commercial data		
ETIM 8.0		EC002863
ETIM 7.0		EC002863
PU (SPU)		25 pcs
Packaging type		Box
Country of origin		DE
GTIN		4055144058499
Customs tariff number		39269097900

Environmental Product Compliance		
RoHS Compliance Status		Compliant, No Exemption

Downloads		
Environmental Product Compliance		
Compliance Search		
Environmental Product Compliance 770-310		

CAD/CAE-Data		
CAD data		CAE data
2D/3D Models 770-310		ZUKEN Portal 770-310
		

1 Compatible Products
1.1 Optional Accessories
1.1.1 Installation
1.1.1.1 Mounting accessories



Item No.: 770-601
Fixing pin; 6 mm Ø, for 2.5 ... 4.0 mm mounting plates; Plastic; black


Installation Notes
Installation



First, secure the mounting adapter with M4 countersunk screws.



Next, place the upper part of the mounting adapter onto the base plate.



Now you can connect the plug and socket. They snap into place with the locking levers in the mounting adapter.



To disconnect the plug or socket, insert the operating tool (210-720) at an angle of approximately 15° to the connector (5 mm under the tab), then pull out the connector.