

Data Sheet | Item Number: 272-103/220-000


Power supply connector; without push-buttons; without snap-in mounting feet; without ground contact; 3-pole; 2,50 mm²; white

<https://www.wago.com/272-103/220-000>



Color: white

Similar to illustration



Dimensions in mm

Electrical data

Ratings per	IEC/EN 60664-1		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	400 V	-
Rated surge voltage	-	4 kV	-
Rated current	-	18 A	-

Connection data

Clamping units	12
Total number of potentials	3
Number of connection types	1

Connection 1	
Connection technology	PUSH WIRE®
Strip length	8 ... 9 mm / 0.31 ... 0.35 inches
Pole number	3

Physical data

Width	28.5 mm / 1.122 inches
Height	15.3 mm / 0.602 inches
Depth	24.5 mm / 0.965 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	white
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.226 MJ
Weight	9.9 g



Commercial data		
Product Group	8 (Misc. Chassis Mount Blocks)	
eCl@ss 10.0	27-14-11-04	
eCl@ss 9.0	27-14-11-04	
ETIM 8.0	EC000446	
ETIM 7.0	EC000446	
PU (SPU)	500 pcs	
Packaging type	Box	
Country of origin	DE	
GTIN	4044918436724	
Customs tariff number	85369010000	

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Approvals / Certificates

General approvals



Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2 No. 158	70048844

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 272-103/220-000	

Documentation

Additional Information			
Technical Section	03.04.2019	pdf 2027.26 KB	

1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Mounting accessories



[Item No.: 271-702](#)
Pins; white



[Item No.: 271-711](#)
Pins; white



[Item No.: 271-712](#)
Pins; white

1.1.2 Marking

1.1.2.1 Marking device



[Item No.: 210-110](#)
Fiber-tip pen

1.1.3 Tool

1.1.3.1 Assembly tool



[Item No.: 249-100](#)
Operating tool; for terminal blocks with
snap-in ground contact

1.1.3.2 Operating tool



[Item No.: 271-120](#)
Push-button; white