SIEMENS

Data sheet 3NJ4915-2HB11

Accessory for strips 3NJ41 In-line fuse switch disconnectors Sz. NH1-3 Current transformers can be integrated 400/5 A, Cl. 0.5 legal-for-trade calibrated



Figure similar

Model	
product brand name	SENTRON
product designation	Current transformer
design of the product	accessory for fuse switch disconnector 3NJ41
insulation voltage rated value	3 kV
designation of overcurrent limiting factor	FS 5
current	
● at input rated value	400 A
value range of the operating frequency	50/60 Hz
Protection class	
protection class IP	IP20
Mechanical Design	
height	80 mm
width	52 mm
depth	26 mm
net weight	189 g
Environmental conditions	
ambient temperature during operation	
● minimum	-10 °C
● maximum	55 °C

Approvals Certificates

General Product Approval				other	
Confirmation	UK CA	CE EG-Konf.	EAC	Confirmation	Miscellaneous

Environment

Environmental Confirmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)

Subject to change without notice
© Copyright Siemens

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NJ4915-2HB11

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3NJ4915-2HB11

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ4915-2HB11

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications

---

last modified: 5/24/2024

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens