

Eaton 216402

Catalog Number: 216402

Eaton Moeller® series M22 Mounting ring tool



General specifications

Product Name	Catalog Number
Eaton Moeller® series M22 Accessory Mounting tool	216402
	Model Code
	M22-MS
EAN	Product Length/Depth
4015082164027	88 mm
Product Height	Product Width
31 mm	31 mm
Product Weight	Certifications
0.02 kg	UL/CSA certification not required

Product specifications

Used with

Threaded ring

Connection to SmartWire-DT

No

Model

Mounting wrench

Ambient operating temperature - max

70 °C

Ambient operating temperature - min

-25 °C

Force for positive opening - min

0 N

Resources

Catalogs

[eaton-rmq-titan-brochure-br047004en-en-us.pdf](#)

[Flip catalog - Product Range Catalog - Command and indication](#)

[eaton-pushbuttons-signal-towers-sensors-assortment-overview-catalog-ca047003en-en-us.pdf](#)

Declarations of conformity

[DA-DC-00004135.pdf](#)

[DA-DC-00004157.pdf](#)

eCAD model

[ETN.216402.edz](#)

Installation instructions

[IL04716002Z](#)

Installation videos

[RMQ Flat Design](#)

mCAD model

[DA-CD-montageschluessel](#)

[DA-CS-montageschluessel](#)

Multimedia

[easyE4 SmartWire-DT module with Remote Touch Display and RMQ multi color indicator](#)

[MCI Multicolor Light Indicator M22 with SmartWire-DT](#)

[RMQ small E-Stop emergency-stop button](#)

[MCI MultiColor Light Indicator RMQ compact solution](#)

Sales notes

[eaton-rmq-small-e-stop-flyer-fl047006en-en-us.pdf](#)

[eaton-rmq-flat-enclosure-flyer-fl047003en-en-us.pdf](#)

[eaton-control circuit-devices rmq-titan-fl144090en-en-us.pdf](#)

[eaton-rmq-mci-multi-color-light-indicator-flyer-fl047005en-en-us.pdf](#)

Specifications and datasheets

[Eaton Specification Sheet - 216402](#)

System overview

[Pilot devices - selection aid](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)