



Color: ■ gray

Connection Data

Connection 1	
Pole number	1

Physical data

Pin spacing	5/5.08 mm / 0.197/0.2 inches
Width	5.08 mm / 0.2 inches
Height	13.2 mm / 0.52 inches
Depth	14 mm / 0.551 inches

Mechanical data

Use	extends pin spacing
Mounting type	snap-on type

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.017 MJ
Weight	0.6 g



Commercial data		
Product Group	4 (Printed Circuit Connectors)	
PU (SPU)	500 (100) pcs	
Packaging type	Box	
Country of origin	CH	
GTIN	4044918059398	
Customs tariff number	39269097900	

Product Classification		
UNSPSC	39121421	
eCl@ss 10.0	27-44-04-92	
eCl@ss 9.0	27-44-04-92	
ETIM 9.0	EC002848	
ETIM 10.0	EC002848	
ECCN	NO US CLASSIFICATION	

Environmental Product Compliance		
RoHS Compliance Status	Compliant, No Exemption	

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 255-801

↓

Documentation

Additional Information

Technical Section

03.04.2019

pdf

2027.26 KB

↓

CAD/CAE-Data

CAD data

2D/3D Models 255-801

↓

CAE data

EPLAN Data Portal 255-801

↓

ZUKEN Portal 255-801

↓



1 Compatible Products
1.1 Optional Accessories
1.1.1 Marking
1.1.1.1 Marking strip



Item No.: 210-833
Marking strips; 25 m on roll; 6 mm wide;
plain; Self-adhesive; white