

# PRODUCT DATASHEET

## TRUSYS FLEX P RAIL 4500 8P WT

TruSys® FLEX ENERGY RAIL 8-POLE | 8-pole mounting rail

---

### Areas of application

- Industry halls, high rack warehouse, hardware stores



---

### Product benefits

- Simple installation
- High flexibility thanks to two available lengths (1500 mm, 3000 mm and 1500 mm end rail)

---

### Product features


- Through wired with 8 core cable
- Different lengths available
- Electrical connection internal at the first luminaire, no external connection unit required
- Steel-sheet housing
- End-Rail without electrical and mechanical connectors



TECHNICAL DATA

Dimensions & Weight

|                |           |
|----------------|-----------|
| Length         | 4650 mm   |
| Width          | 70.2 mm   |
| Height         | 38.8 mm   |
| Product weight | 4550.00 g |



Materials & Colors

|               |       |
|---------------|-------|
| Product color | White |
| Body material | Steel |

Application & Mounting

|                   |         |
|-------------------|---------|
| Mounting location | Ceiling |
| With light source | No      |

Certificates & Standards

|           |                             |
|-----------|-----------------------------|
| Standards | CE / CB / UKCA / ENEC / EAC |
|-----------|-----------------------------|

EQUIPMENT / ACCESSORIES

– Various accessories available

DOWNLOAD DATA

## Documents and certificates



User instruction



Declarations Of Conformity CE



Declarations Of Conformity UKCA

## CAD/BIM files



BIM\_Revit\_3D



CAD\_STEP\_3D

## Tender texts



Tender documents

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                 |
|---------------|------------------------------|--------------------------------------|--------------|------------------------|
| 4058075793170 | Sleeve<br>1                  | 52 mm x 43 mm x 100 mm               | 4562.00 g    | 0.22 dm <sup>3</sup>   |
| 4058075793187 | Shipping box<br>4            | 4,729 mm x 191 mm x 141 mm           | 21294.00 g   | 127.36 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.